



March 15, 2007

Re: Roofing Systems – LEED® Product Information

To Whom It May Concern:

NEOGARD®, A Division of JONES-BLAIR® Co. strives to pursue our customers' confidence, continually improve our business and performance, comply with safety and regulatory requirements and is committed to quality.

**REGIONAL MATERIALS**

NEOGARD certifies that 7261, 7443, 7860-01, 70613 and 70650 materials used as a topcoat for our Permthane II FR, Elastacryl FR, Silicone FR, Elasta-Gard, Elasta-Gard C, Elasta-Gard BUR/MB, Elasta-Gard LT, Elasta-Gard SP and Elasta-Gard M roofing systems are manufactured in Dallas, Texas. If your project falls within a 500 mile radius of this location, the products are considered to be locally produced material and can help contribute to earning MR Credit 5.1.

**HEAT ISLAND EFFECT: ROOF**

NEOGARD certifies the following materials, when used as a topcoat material for our Permthane II FR, Elastacryl FR, Silicone FR, Elasta-Gard, Elasta-Gard C, Elasta-Gard BUR/MB, Elasta-Gard LT, Elasta-Gard SP and Elasta-Gard M roofing systems, meets the required SRI (Solar Reflectance Index) of at least 78 for low-sloped roofs ( $\leq 2:12$ ), 29 for steep-sloped roofs ( $> 2:12$ ) and can help contribute to earning SS Credit 7.2.

- 7261 acrylic topcoat SRI = 99
- 7443 urethane topcoat SRI = 95
- 7860-01 silicone topcoat SRI = 101
- 70613 urethane topcoat SRI = 95
- 70650 urethane topcoat SRI = 94

Should you have any questions or require additional information, please do not hesitate to call.

Best regards,

NEOGARD  
A Division of JONES-BLAIR Co.

Dennis Bigley  
Technical Service Manager

